





TYPE  
FRHO

PERFORATED SHEETS



**DESCRIPTION**

Perforated aluminium sheets, in custom-made designs and dimensions.

**NOMINAL SIZES**

The sheets are available in any combination of dimensions required to meet the needs of the project. Maximum size is (2000x1000) mm.

We highlight that:

- The order dimensions are the dimensions of the **opening**.
- Available perforated patterns are **Φ6** round on 10mm staggered centres and **Φ8** round on 12mm staggered centres.

**ACCESSORIES**

- Dust or grease filter. The filters are available in white **VILEDON** or net black **FCU** type. **(-F)**
- The sheets can be accessible **(-A)**, with or without filter.
- The sheets are available with 32mm or 19mm frame, or with no **(-C)** type).

**OPEN AREA**


	DIMENSIONS mm	Ak (m <sup>2</sup> )
Φ6 / S8	(595x595) E-E	0.146
Φ8 / S12	(595x595) E-E	0.116

**MATERIALS**


Sheet: Aluminium anodized in matt silver colour, or galvanized steel; both available in powder coated RAL colour.

Frame seal: «Ω» type PVC – Only available for 32mm width frame.


Screws: Galvanized steel (DIN 7504).




FRHO – VIEW



FRHO – SECTION



FRHO-A – SECTION



FRHO-A – SECTION

L : Nominal length – horizontal opening  
H : Nominal height – vertical opening  
L<sub>1</sub> : Length  $L_1 = L - 10\text{mm}$   
H<sub>1</sub> : Height  $H_1 = H - 10\text{mm}$   
L<sub>2</sub> : Overall length  $L_2 = L_1 + 2B$   
H<sub>2</sub> : Overall height  $H_2 = H_1 + 2B$   
Fr : Frame width. Typical 32 mm. Optional 19 mm.

## NOTES

1. The sheets come with counter punched holes and self-drilling screws in the same RAL colour.
2. The number of holes are two (one on the right and one on the left) for sheets up to 250mm, and four (two on the top and two on the bottom) for grilles over 300mm.